

A. S. Sutar, C. S. Magduma, S. S. Patila and N. S. Naikawadia. RP-HPLC Estimation of tadalafil in tablet dosage form. Int. J. Chem. Sci.: 6(2), 2008, 1223-1227.

Alivelu Samala, Santhosh Pawar, Sowmya Manala , Sravanthi Chada1 and Nageshwar. M1 RP-HPLC method development and validation of tadalafil in tablet dosage form. J. Chem. Pharm. Res., 2013, 5(4):315-318.

Allen DS, Wilson SK, Knapp PM, et al. The efficacy and safety of tadalafil in United States and Puerto Rican men with erectile dysfunction. J Urol. 2004;172:652–7 .

Angulo J, Gadau M, Fernandez A, et al. IC351 enhances NO mediated relaxation of human arterial and trabecular penile smooth muscle. Eur Urol. 2001;39(suppl 5):106.

Aytac IA, McKinlay JB, Krane RJ. The likely worldwide increase in erectile dysfunction between 1995 and 2025 and some possible policy consequences. BJU Int 1999; 84: 50-6.

Bacon CG, Mittleman MA, Kawachi I et al. Sexual function in men older than 50 years of age: results from the health professionals follow-up study. Ann Intern Med 2003; 139: 161-8.

Bell NJV, Burget D, Howden CW, et al. Appropriate acid suppression for the management of gastro-oesophageal reflux disease. Digestion. 1992;51(suppl 1):59-67.