

- Di Guglielmo, G.M., Drake, P.G., Baass, P.C., Authier, F., Posner, B.I., & Bergeron, J.J. (1998). Insulin receptor internalization and signaling. *Mol Cell Biochem*, 182(1-2), 59-63.
- Donner, D.B. (1982). Receptor- and non-receptor-mediated uptake and degradation of insulin by hepatocytes. *Biochemical Journal*, 208(1), 211–219.
- Duan. X., & Mao, S. (2010). New Strategies to improve the intranasal absorption of insulin, *Drug Discovery Today*, 15(11-12):416-427.
- Duckworth, W.C. (1988). Insulin Degradation: Mechanisms, Products, and Significance. *Endocrine Reviews*, 9(3), 319-345.
- Duckworth, W.C., & Kitabchi, A. (1981). Insulin Metabolism and Degradation. *Endocrine Reviews*, 2(2), 210-233.
- Duckworth, W.C., Bennett, R., & Hamel, F. (1998). Insulin Degradation: Progress and Potential. *Endocrine Reviews*, 19(5), 608-624.
- Duckworth, W.C., Hamel, F.G., & Peavy, D.E. (1988). Hepatic metabolism of insulin. *Am J Med*, 85(5A), 71-76.
- Duckworth, W.C., Hamel, F.G., Peavy, D.E., Liepnieks, J.J., Ryan, M.P., Hermodson, M.A., & Frank, B.H. (1988). Degradation products of insulin generated by hepatocytes and by insulin protease. *J Biol Chem*, 263(4), 1826-183.
- Duckworth, W.C., Hamela, F.G., & Peavy, D.E. (1997). Two pathways for insulin metabolism in adipocytes. *Biochimica et Biophysica Acta (BBA)-Molecular Cell Research*, 1358(2), 163-171.
- Duckworth, W.C., Stentz, F.B., Heinemann, M., & Kitabchi, A.E. (1979). Initial site of insulin cleavage by insulin protease. *Proceedings of the National Academy of Sciences of the United States of America*, 76(2), 635–639.